

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A: HOME POSITION




FIG. 5B: DEVELOPMENT POSITION






FIG. 5C: MOUNTING/DISMOUNTING POSITION



F I G. 6



F I G. 7

CONTROL SIGNAL			OPERATION MODE (DESCRIPTION)
EN 1	EN 2	EN 3	
H	H	H	NORMAL OPERATION MODE (PERMIT DRIVE OF ALL UNITS)
H	H	L	REPLACEMENT OPERATION MODE (PERMIT DRIVE OF ONLY DEVELOPING UNIT)
H	L	L	ALL-DISABLE MODE (INHIBIT DRIVE OF ALL UNITS)
L	ϕ	ϕ	POWER SAVE MODE (DEACTIVATE DRIVE POWER SOURCE)

FIG. 8




FIG. 9




FIG. 10





FIG. 11



F I G. 1 2




FIG. 13




FIG. 14




FIG. 15




FIG. 16





FIG. 17



F I G. 1 8




FIG. 19

COMPONENT	OPERATION MODE					
	IMAGE FORMATION	(REPLACEMENT 1)	POWER SAVE 1	(REPLACEMENT 2)	POWER SAVE 2	(REPLACEMENT 3)
CONTROL CIRCUITS	○	○	○	○	○	○
DISPLAY	○	○	○	○	—	○
HIGH-VOLTAGE SOURCE	○	—	—	—	—	—
EXPOSURE UNIT	○	○	—	—	—	—
ROTARY DRIVER	○	○	—	○	—	○
DEVELOPING ROLLER DRIVER	○	—	—	—	—	—
PHOTOSENSITIVE MEMBER/INTERMEDIATE TRANSFER BELT DRIVERS	○	—	—	—	—	—
FIXING UNIT	○	○	(LOW TEMPERATURE)	—	—	—
COOLING FAN	○	(LOW SPEED)	(LOW SPEED)	(LOW SPEED)	—	—

FIG. 20

